BEKY-Y912FII





Automat




- Touch screen (10.4 inch, Resolution 800×600)
- Ability to register shortcuts into multiple groups
- **■** Customizeable Display
- Easy icon-based operation
- LAN Connector Standard, 1×COM Port & 2×USB Ports, 1×Remote Controller Connector
- 70 million stitch capacity, 100 memory locations

Accessories




Garudan




One Touch Frames

Loop & Cord Device

Signal Tower







Head Selection


YN Sequin Device

Spider Frames

LEM Server System Coption

Quick and Easy Design Transfer to Machines using a Barcode Scanner.

- Able to connect up to 100 Barudan machines.
- Production Efficiency Reporting is available on the LEM Pro version and is even accessible from anywhere via the web.
- "Report" what head on which machines need maintenance.
- "See" what your machines are producing even from home.
- "Know" which employees and machines are more productive.



BARUDAN CO., LTD.




■ Sales Headquarter
20 Tsukagoshi, Josuiji, Ichinomiya-city, Aichi-pref.,
491-0004 Japan
Phone +81 586-76-1137
Fax +81-586-77-1499

URL http://www.barudan.co.jp/ E-mail info@barudan.co.jp Agent:

Super Fast Production High-Speed Compact Machine





■ Machine Specifications / Main Dimensions

MODEL	Embroidery Area (mm)	Needle Distance (mm)	Continuous Design (mm)	Number of Needles	Stitch Length (mm)	Speed (rpm)	Power Supply (v)	Power Consumption (kw)	Dimensions (mm)		
									L	W	Н
BEKY-Y912FII	450×350/350	- 350	450×4200	9	0.1~12.7	200~1000	$1\phi100{\sim}240$ $3\phi200{\sim}415$	0.7	5355	1365	- 1565
	600×350/350		600×4200							1665	

- The embroidery area indicated above allows for maximum pantograph movement. The frame used may restrict the actual embroidery field size.
- Other embroidery areas are available upon consultation.
- Machines and Specifications are subject to change at any time without prior notice.